Distributed by:

JAMECO® ELECTRONICS

www.Jameco.com ✦ 1-800-831-4242

The content and copyrights of the attached material are the property of its owner.

Quality Engineering Test Report

SERIES: SKE15A 15W DC-DC SINGLE OUTPUT CONVERTER

SAMPLE:

A:	**SKE15A-05**	**+5V / 300~3000mA**
B:	**SKE15A-12**	**+12V / 125~1250mA**
D:	**SKE15A-24**	**+24V / 62.5~625mA**

NO	TEST ITEM	TEST CONDITION / SPECIFICATION	RESULT	VERDICT
1	DC INPUT VOLTAGE RANGE	I/P:TESTING SPEC: 9~18VDC O/P:FULL LOAD	B:8.4~18VDC	P
2	LINE REGULATION	I/P:9~18VDC SPEC: ±0.3% O/P:FULL LOAD	A: -0% ~ +0% B: -0% ~ +0% D: -0% ~ +0%	P
3	LOAD REGULATION	I/P:12VDC SPEC: ±0.5% O/P:MIN. TO FULL LOAD	A: -0.2% ~ +0.2% B: -0% ~ +0% D: -0% ~ +0.1%	P
4	OUTPUT VOLTAGE TOLERANCE	I/P:9~18VDC SPEC: NONE O/P:MIN. TO FULL LOAD	A: -0.2% ~ +0.2% B: -0% ~ +0% D: -0.1% ~ +0.1%	P
5	RIPPLE&NOISE	I/P:12VDC SPEC: A:50mV B:60mV O/P:FULL LOAD D:80mV	A: 15mV B: 13mV D: 20mV	P
6	DC INPUT CURRENT	I/P:12VDC SPEC: 1.7A O/P:FULL LOAD	B:1.56A	P
7	O/P VOLTAGE ACCURACY	I/P:12VDC SPEC: ±2% O/P:MIN. LOAD	A: -0.8%(4.96V) B: +0.2%(12.02V) D: -0.1%(23.98V)	P
8	EFFICIENCY	I/P:12VDC SPEC: A:79% O/P:FULL LOAD B:80% D:82%	A: 78.6% B: 80.2% D: 81.8%	P
9	OVER LOAD PROTECTION	I/P:12VDC SPEC: 160~250% O/P:TESTING	A: 180% B: 179% D: 181%	P
10	INSULATION RESISTANCE	SPEC: I/P--O/P: 500VDC/100M Ohms MIN.	B: I/P--O/P >100M Ohms	P
11	DIELECTRIC / WITHSTAND VOLTAGE	SPEC: I/P--O/P: 1000VDC/ 1 min (10mA CUT-OFF)	B: I/P--O/P:<0.002mA	P

NEXT

<table>
<tr><th>NO</th><th>TEST ITEM</th><th>TEST CONDITION / SPECIFICATION</th><th>RESULT</th><th>VERDICT</th></tr>
<tr><td>12</td><td>BURN-IN TEST</td><td>I/P:12VDC O/P:FULL LOAD
TA:28°C BURN-IN DURATION : 15 hrs</td><td>A: NO BREAK
B: NO BREAK
D: NO BREAK</td><td>P</td></tr>
<tr><td>13</td><td>TEMPERATURE RISE
TEST T rise OF PARTS</td><td>B: I/P :12VDC AFTER 15 hrs BURN-IN
O/P :FULL LOAD TA:28°C
<table>
<tr><th>POSITION</th><th>SAMPLE</th><th>TEMP</th><th>Trise</th></tr>
<tr><td>CASE</td><td>SKE15A-12</td><td>49.8°C</td><td>21.8°C</td></tr>
</table></td><td></td><td>P</td></tr>
<tr><td>14</td><td>CONSTRUCTION
INSPECTION
(FOR QC INSPECTION
REFERENCE ONLY)</td><td colspan="3">1. PACKING : 軌道型塑膠包裝
2. MARKING : MODEL
3. MECHANICAL : MODULAR TYPE, PIN :1.0Øx5mm</td></tr>
</table>

DATE	SAMPLE	TEST RESULT	TEST	APPROVAL
9.5.2002	SKE15A-05 SKE15A-12 SKE15A-24	PASS	T.K.CHENG	MAX LIN

PREVIOUS